SECURE CLASIPCATIN OF THIS PAGE			
OHOLHOOH ILD	ON PAGE ,	Form Approved OMB No. 0704-0188	
1a. REPOR UNCLAS	16. RESTRICTIVE MARKINGS	ere (me	
UNCLAS 20. SECURI AD-A208 637 —	3. DISTRIBUTION/AVAILABILITY OF REPORT		
2b. DECLA:	Approved for public release distribution unlimited.	e ;	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(\$)		
	AFOSR-TR- 89-0703		
6a. NAME OF PERFORMING ORGANIZATION  6b. OFFICE SYMBOL  (If applicable)	7a. NAME OF MONITORING ORGANIZATIO		
California Inst. of Tech.	Air Force Office of Scient	Air Force Office of Scientific Research	
6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)		
Applied Matriematics	Building 410		
Pasaclena, CA 91123	Bolling AFB, DC 20332-6448		
8a. NAME OF FUNDING / SPONSORING	9. PROCUREMENT INSTRUMENT IDENTIFICA	TION NUMBER	
AFOSR NM	AFOSR-87-0270		
8c. ADDRESS (City, State, and ZIP Code)	10. SOURCE OF FUNDING NUMBERS		
Building 410	PROGRAM PROJECT TASK ELEMENT NO. NO. NO.	WORK UNIT ACCESSION NO.	
Bolling AFB, DC 20332-6448	61102F 2304 A		
11. TITLE (Include Security Classification)	01102F 2304 N		
Differential Equations and C  12. PERSONAL AUTHOR(S)  PROFESSOR DONALD S. COMED  130. TYPE OF REPORT  FROM 15 Jul 8 7 to 141 Dec 8	14. DATE OF REPORT (Year, Month, Day)	15. PAGE COUNT	
FINAL FROM 15 Jul 8 / TO 141 DCC 8	8 MAY 2.1989	DTIC	
17. COSATI CODES 18. SUBJECT TERMS	(Continue on reverse if necessary and identif	block-hamber 1989	
51519		JUN OR 1393	
19. ABSTRACT (Continue on reverse if necessary and identify by block	number)		
Recent advances in materials science as development and design of new classes	of polymeric materials with	destrable	
and beneficial properties. They are of and military situations. Most of th	enormous importance in may i ese materials have features		
understood scientifically and not expla			
of motion. We hav been looking at seve			
intent of developing the nonlinear mod			
through them. The models are then al			
problems necessitating the development		ation and	
numerical techniques for their solutions	•		
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION	<del></del>	
UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USER		Office CVI 12 C	
DR ARIS NACHMAN	22b. TELEPHONE (Include Area Code) 22c. ( (202) 767-4939	OFFICE SYMBOL  NM	

# CALIFORNIA INSTITUTE OF TECHNOLOGY

APPLIED MATHEMATICS 217-50 FIRESTONE LABORATORY

May 2, 1989

AFOSR-TR- 89-0703

Dr. Arje Nachman Air Force Office of Scientific Research Building 410 Bolling Air Force Base, D.C. 20332-6448

Dear Arje:

Final Technical Report Air Force Grant AFOSR-87-0270 15 July 1987 - 14 December 1988

Recent advances in materials science and synthetic chemistry have led to the development and design of new classes of polymeric materials with desirable and beneficial properties. They are of enormous importance in may industrial and military situations. Most of these materials have features not well understood scientifically and not explainable with current standard equations of motion. We have been looking at several classes of these polymers with the intent of developing the nonlinear models for the study of transport by and through them. The models are then applied to specific new technological problems necessitating the development of new asymptotic, perturbation and numerical techniques for their solutions.

The work is being carried out by Professor Donald S. Cohen and his graduate students. Several problems are being studied jointly with Professor Thomas Emeux of Northwestern University and with the scientific computation and applied math group headed by Dr. Andrew B. White of Los Alamos National Laboratory.

We have developed a comprehensive model for diffusion and stress in polymers to account for the non-Fickian effects observed in the transition from the glassy to the rubbery phase. We have employed this theory to model several different problems involving absorption and/or desorption in polymer slabs, maintranes, and encapsulating devices.

Our basic theory recognizes that a diffusion penetrant (gaseous or liquid) induces a differential strain in the polymer host. Thus, we incorporate a visco-elastic flux into our model to account for the experimental observations. Depending on the polymer-penetrant combination different response laws must be used. We have been successful in accounting for several aspects of so-called Case II diffusion and the phenomenon of diffusive overshoot. We are continuing along these lines to look at moisture seepage and gaseous membrane problems in encapsulating devices, material failure as a result of cracks initiated by diffusive penetration, and materials problems associated with pharmaceuticals.

Sincerely yours,

Exercly & Cotion

Donald S. Cohen
Professor and Executive Officer
for Applied Mathematics


DSC/ss enclosures

cc: Kathleen L. Wetherell/AFOSR (w/enc.)

E. Ansell/CIT (w/enc.)

E. Freise/CIT





#### Thesis Abstract

# A Model For Stress-Driven Diffusion In Polymers Robert W. Cox California Institute of Technology

Penetration of solvents into polymers is sometimes characterized by steep concentration gradients that move into the polymer and last for long times. The behavior of these fronts cannot be explained by standard diffusion equations, even with concentration dependent diffusion coefficients. The addition of stress terms to the diffusive flux can produce such progressive fronts. Model equations are proposed that include solvent flux due to stress gradients in addition to the Fickian flux. The stress in turn obeys a concentration dependent evolution equation.

The model equations are analyzed in the limit of small diffusivity for the problem of penetration into a semi-finite medium. Provided that the coefficient functions obey certain monotonicity conditions, the solvent concentration profile is shown to have a steep front that progress into the medium. A formula governing the progression of the front is developed. After the front decays away, the long time behavior of the solution is shown to be a similarity solution. Two techniques for approximating the solvent concentration and the front position are presented. The first approximation method is a series expansion: formulas are given for the initial speed and deceleration of the front. The second approximation method uses a portion of the long time similarity solution to represent the short time solution behind the front.

The addition of a convective term to the solvent flux is shown to raise the possibility of a traveling wave solution. The existence of the traveling wave solution is shown for certain types of coefficient functions. The way the initial front speed evolves onto the traveling wave speed is sketched out.

#### **Publications**

- 1. D.S. Cohen and T. Erneux, Free boundary problems in controlled release pharmaceuticals.

  1. Diffusion in glassy polymers, SIAM J. Appl. Math., 48 (1988) 1451-1465.
- Donald S. Cohen and T. Erneux, Free boundary problems in controlled release pharmaceuticals.
   Swelling controlled release. SIAM J. Appl. Math., 48 (1988) 1466-1474.
- 3. R.W. Cox, Shocks in a model for stress-driven diffusion, to appear SIAM J. Appl. Math.

#### Manuscripts In Preparation

- 1. D.S. Cohen and A.B. White, Sharp fronts due to diffusion and stress at the glass transition in polymers, to be submitted to J. Polymer Science: Physics Edition.
- 2. D.S. Cohen and R.W. Cox, A mathematical model for stress-driven diffusion in polymers, to be submitted to J. Polymer Science: Physics Edition.

## Scientific Collaborators

Professor Thomas Erneux
Department of Engineering Sciences
and Applied Mathematics
The Technological Institute
Northwestern University
Evanston, IL 60208

Dr. Andrew B. White Los Alamos National Laboratory MS265, P.O. Box 1663 Los Alamos, NM 87545

### **Graduate Students**

Robert W. Cox Catherine K. Hayes